



SEASALT
CORNWALL

Patch piece

OUTER: Cut x 1

Cut notch into seam
allowance only.

There is a 1 cm seam
allowance

5b



SEASALT
CORNWALL

Patch piece

OUTER: Cut x 1

Cut notch into seam
allowance only. There is a 1
cm seam allowance

3a



SEASALT
CORNWALL

Patch piece

OUTER: Cut x 1

Cut notch into seam
allowance only.

There is a 1 cm seam
allowance

5a



SEASALT
CORNWALL

Patch piece

OUTER: Cut x 1

Cut notch into seam
allowance only.

There is a 1 cm seam
allowance

3b



SEASALT
CORNWALL

Patch piece

OUTER: Cut x 1

Cut notch into seam allowance only.
There is a 1 cm seam allowance

1a



SEASALT
CORNWALL

Patch piece

OUTER: Cut x 1

Cut notch into seam allowance only.
There is a 1 cm seam allowance

1b



SEASALT
CORNWALL

Patch piece

OUTER: Cut x 1

2



SEASALT
CORNWALL

Patch piece

OUTER: Cut x 1


4

START TO STITCH



Christmas Stocking

One size



Christmas Stocking Template

OUTER: Cut x 1 (for back if required)

WADDING: Cut x 2

LINING: Cut x 2

You can use the same, or contrasting fabrics for your outer and lining pieces.

Template includes 1 cm seam allowance

Leave an opening between notches in lining only